UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/447,030	11/22/1999	RAINALD FORBERT	AE97/151US	3281
22907 BANNER & W	7590 06/29/200 ITCOFF, LTD.	EXAMINER		
1100 13th STREET, N.W.			NGUYEN, NGOC YEN M	
SUITE 1200 WASHINGTON, DC 20005-4051			ART UNIT	PAPER NUMBER
			1793	
			MAIL DATE	DELIVERY MODE
			06/29/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	09/447,030	FORBERT ET AL.
Office Action Summary	Examiner	Art Unit
	Ngoc-Yen M. Nguyen	1793
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING ID. - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO .136(a). In no event, however, may a reply be tid d will apply and will expire SIX (6) MONTHS from te, cause the application to become ABANDONE	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 15 A This action is FINAL . 2b) ☐ This action is FINAL . Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pr	
Disposition of Claims		
4) Claim(s) 14-22 and 26-28 is/are pending in the day Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 14-22 and 26-28 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/	awn from consideration.	
Application Papers		
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	ccepted or b) objected to by the edrawing(s) be held in abeyance. Section is required if the drawing(s) is ob	ee 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receiv au (PCT Rule 17.2(a)).	tion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	oate

DETAILED ACTION

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 14-22, 26-28 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 19-23, 27-31, 33-34, 36 of copending Application No. 09/444,469. Although the conflicting claims are not identical, they are not patentably distinct from each other because these instant claims do not exclude the forming condensate as required in the claims of copending application '469.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claims 14-22, 26-28 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claims 26, 27 and 28, it is unclear what flows substantially against the direction of gravity, the lyosol or the atmosphere.

In this Office action, unless specify otherwise, it is assumed that the lyosol flows against the direction of gravity.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 14-22, 26, 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Marisic (2,384,946) in view of Fernholz et al (3,939,199) and optionally further in view of Mielke et al (5,656,195).

Marisic '946 discloses a process of producing hydrogel pellets by continuously contacting within an enclosed mixing chamber such as an injector or nozzle mixer, streams of reactant solutions of such concentration and proportions that no gelation occurs within the mixer, but only at some predetermined time after leaving the mixer, and under such conditions of flow that each stream is completely and uniformly dispersed within and throughout the other at the instant of contact. The resultant colloidal solution is ejected from the mixer through an orifice or orifices of suitable size so as to form globules of the solution which are introduced into a fluid medium where the globules of the colloidal solution set to a gel before they pass out of the medium (note page 2, lines 48-64). Pellets may also be formed by a process analogous to spray drying wherein the gelable solution is sprayed into a drying tower (note page 2, left column, lines 68-72). The fluid medium can be constituted of a gas such as air (note sentence bridging the 2 columns on page 2).

Marisic '946 further disclose that the medium may contain components, which can be dissolved therefrom by the hydrosol (note page 1, left column, lines 17-18).

Marisic '946 discloses that the hydrogel can be produced from a solution of sodium silicate and hydrochloric acid (note Example III).

It would have been obvious to one skilled in the art to select any embodiment among the specifically disclosed embodiments, Merck & Co. Inc. v. Biocraft Laboratory Inc. 10 USPQ 1846.

Marisic '946 further discloses that the fluid medium is maintained at a temperature below the boiling point of said sol. After setting is complete, the hydrogen

may be washed, base exchanged, heat treated or otherwise processed to obtain the desired physical and chemical characteristics in the final product (note page 2, right column, lines 14-40). The resulting gel possesses open pores free of liquid, this product is considered the same as the claimed aerogel.

Marisic does not specifically disclose the temperature of the process, however, it would have been obvious to optimize these process conditions to obtain the best results. It would also have been obvious to dry the hydrogel to obtain aerogel since aerogel is desired in the art.

For the step of converting the hydrogel to aerogel, in the event that the above heat treating step of Marisic '946 is not sufficient to convert the hydrogel to aerogel, Mielke '195 can be applied as stated below.

Mielke '195 teaches that silica aerogel particles are desired to be used in moldings (note claim 1). Mielke '195 further discloses that silica aerogel can be produced by solvent exchange, and subsequent supercritical drying a silica hydrogel.

Thus, it would have been obvious to one of ordinary skill in the art to convert the hydrogel of Marisic to aerogel because aerogel is desired to be used in moldings as suggested by Mielke '195.

The difference is Marisic 946 does not disclose that the fluid is moving substantially against the direction of gravity.

Fernholz '199 discloses that for a spray-drying process for converting a sol to a gel, in order to avoid damage of the gelled and still soft particles, they can be sprayed in upward inclined direction and collected in a liquid bath (for example water) or they can be conducted in countercurrent flow with a current of air or gas which reduces their impact velocity and simultaneously improves their resistance by drying. In this manner particles of almost any desired size can be produced (note column 2, lines 23-33).

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to use a current or air or gas in countercurrent flow with the spray of silica sol in the process of Marisic '946, as suggested by Fernholz '199 because such countercurrent flow of air would reduce the silica gels impact velocity and improve their resistance by drying.

For claim 20, the subject matter as a whole would have been obvious to one having ordinary skill in the art at the time the invention was made to have used both the water bath and the countercurrent flow of air to avoid damage of the gelled and still soft particles, because combining two or more ways as disclosed in Fernholz '199 for the same purpose has been held to be a prima facie case of obviousness, see In re Kerkhoven, 205 USPQ 1069.

Claims 14-22, 26, 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over EP 0 687 199 (references are made to the translation) in view of Mielke '195.

EP '199 discloses a method of producing spherical particles made from inorganic oxides by means of a sol/gel conversion, in the case of which a sol is sprayed in such a manner from below into a reaction zone containing a reactant gas that the sol does not split open into individual sol droplets until immediately before or as it enters the reaction zone and the formed sol droplets fly through the reaction zone on a curved trajectory while being solidified, and the presolidified sol particles are then caught in a trap. As a result of the method of operation according to the invention, the location and point in time of the sol droplet formation are advantageously coordinated with the start of the gelling (presolidification) of the sol droplets. The sol droplets, which at the point in time of their formation are still liquid sol drops of an almost ideal spherical shape and largely

Page 6

in the instant claim 19.

the same spherical diameter, when flying through the reaction zone, are fixed in their almost ideal uniformly spherical shape; that is, they are presolidified so that they are largely protected from deforming effects before, by means of additional measures of the sol/gel process which are known per se, the sol droplets which were presolidified in their spherical shape are finally solidified to be stable. For this purpose, the spraying device is arranged at a defined distance below the inlet opening into the reaction zone, the distance corresponding approximately to that distance starting from the spraying device at which the sol splits open into sol droplets. In addition, the sol is injected from the spraying device from below, that is, *against the force of gravity*, at a certain angle α into the reaction zone, the angle α in this case being formed from a horizontal axis disposed perpendicularly to the force of gravity and of the tangent of the sprayed sol in the outlet

When the air is used as the purge gas, the stream containing the air and sol is considered as an atmosphere containing sol. Alternatively, when the sol is sprayed into the medium contained in the reaction zone, the flow of lyosol disturb and displace the air in the atmosphere in the reaction zone to cause a flow of air in the same direction, i.e. against gravity.

point from the spraying system (note translation paragraph bridging pages 5-6). As

shown in Figure 1, the sol droplets eventually switch from an upward to a downward

flow, this fairly shows that the flow is diminishes in the direction of the flow as required

EP '199 discloses that the gel can be collected in a vessel filled with a fluid, e.g. with water (note page 13, lines 8-14)

Since the process of EP '199 as an upward flow (against the force of gravity), it would inherently have the classifying action (i.e. screening), note instant specification, page 7, 5th paragraph, as required in the instant 18.

EP '199 further teaches that in the case of a very narrow distance of the spraying device from the inlet opening of the reaction zone containing the reactant gas, it may be expedient, for example, when spraying nozzles or hollow needles with a small diameter are used, to blow a purge gas (such as compressed air or water vapor) through the spraying device in order to avoid a clogging of the spraying device by prematurely gelling sol (note page 7, sentence bridging pages 7-8). Thus, EP '199 fairly teaches the presence of steam, which is considered as being "completely miscible with the lyosol" and such steam would inherently form condensate on the lyosol.

EP '199 also teaches that the method according to the invention can be used for the gelling of sols in the case of which, according to the sol/gel process, an instable sol is obtained, for example, by mixing an alkaline constituent with an acid constituent. Preferably, according to this approach, particles are made from silicon dioxide or alumosilicate. Thus, for example, a sol can be obtained which contains a silicon dioxide and which can be used in the method according to the invention in that, as the alkaline constituent, an aqueous solution of an alkali metal silicate, such as a sodium silicate solution, is mixed in a manner known per se with an aqueous solution of an inorganic acid, such as an aqueous sulfuric acid solution or hydrochloric acid solution, or an organic acid, such as an aqueous formic acid solution or acetic acid solution (note EP '199, page 9, lines 6-16). Thus, EP '199 fairly teaches, with sufficient specificity, the

step of forming an instable sol by mixing silicon dioxide or sodium silicate with hydrochloric acid.

EP '199 teaches that the reactant gas used in the method according to the invention can be easily held in the reaction zone as a closed receptacle above the corresponding trap. In this case, as required, fresh reactant gas can be continuously refilled by means of a separate feeding of gas into the reaction zone. In addition to the above-mentioned alkaline and acid reactant gases, when self-gelling sols are used, inert gases, such as air or nitrogen, may also be used as reactant gases (note EP '199, page 14, first full paragraph).

The difference is EP '199 does not disclose the step of converting the hydrogel into aerogel.

Mielke '195 is applied as stated above to teach the step of converting the hydrogen into aerogel so that the aerogel can be used in molding application.

Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Marisic (2,384,946) in view of Fernholz et al (3,939,199) and Frank et al (5,7899,075).

Marisic '946 and Fernholz '199 are applied as stated in the above rejection.

The difference not yet discussed is Marisic '946 does not teach the silylating step.

Frank '075 discloses that the term aerogel encompasses xerogels and cryogels (note column 1, lines 12-24). Frank '075 further discloses that it is known in the art to convert gels into xerogels by modified the gels by silylation in such a way that the gels can be air dried without collapsing (note column 1, lines 54-61).

It would have been obvious to one of ordinary skill in the art to convert the gel of Marisic into an aerogel (i.e., xerogel) by first silylating the gel, as suggested by Frank '075 in order to dry the gel without collapsing the gel structure and because Frank teaches that aerogel is a desired product in the art.

Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over EP '199 in view Frank '075.

EP '199 is applied as stated above.

The difference is EP '199 does not disclose the silylating step.

Frank '075 is applied as stated above to teach the silylating step.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ngoc-Yen M. Nguyen whose telephone number is (571) 272-1356. The examiner can normally be reached on Part time schedule.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley Silverman can be reached on (571) 272-1358. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/447,030 Page 10

Art Unit: 1793

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ngoc-Yen M. Nguyen/ Primary Examiner, Art Unit 1793

nmn June 26, 2009